PHOTO-RECON MAPS

WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY

AFAWT2V1.FH7

WARBIRDS 2.01 ARENA WATER TERRAIN AIRFIELDS

TERRAIN FILE: WBAWT2.TRN

TOP SECRET





MaxØverlays Maps & Charts
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

Table of Contents

Main - Large / Bomber Airfield	}
Medium - Fighter / Bomber Airfield	ļ
Forward - Small / Fighter Airfield	;
Carrier Fleet)
Port / Harbor Diagram	,

This publication superscedes WB2AFv5.FH7, including C 1, and C 2 CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES





09/06 l Elev. PHOTO-RECON - WB2.01 / WBAWT2.TRN Field F28 Forward Field Diagram SMALL / FIGHTER AIRFIELD (S/FF) AFAWT2V1.FH7 THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION TOP SECRET RADIO HUT & MAST FIELD CAPTURE CONDITIONS: DESTROY ALL STRUCTURES • ANTI-AIRCRAFT BATTERIES • HANGER ROOF • CONTROL TOWER • RADIO HUT & MAST FUEL TANK • RADAR LAND AND EXIT ON RUNWAY 1 RADAR F22 (2)-90/30 F19 40/15 F18 F12 (4)-**3 Field F3**Elev. 160/**50 FUEL** 1000 500 CONTROL TOWER .50 cal ANTI-AIRCRAFT GUN (ACK) Range: 0 - 1000 ft / 330 m AGL 20 mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 4000 ft / 1260 m AGL 40mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 6000 ft / 1850 m AGL 88mm ANTI-AIRCRAFT GUN (ACK) Range: 500 - 30000 ft AGL Range: 170 - 9200 m AGL TARGET STRUCTURE HANGER CHARTS AND RELATED DATA (NOT TO SCALE) PUBLISHED IN ACCORDANCE WITH SPECIFICATIONS AND AGREEMENTS APPROVED BY INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES AND ARE NOT TO BE USED FOR REAL-WORLD NAVIGATION. MAXØVERLAYS MAPS BY BOB HEFFNER F9 F27 F29 F30 F31 F32 Field Page 5 Elevation given in feet/meters Elev. 90/**30** 60/**20** 60/20 500/150 160/50 540/160


PHOTO-RECON - WB2.01 / WBAWT2.TRN

Fleet Diagram

NAVAL FLEET (FDG) AFAWT2V1.FH7


THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.

TOP SECRET



DD

Destroyer "Fletcher" Class



20 mm ANTI-AIRCRAFT GUN (ACK) 0 - 4000 feet AGL

40mm ANTI-AIRCRAFT GUN (ACK) 0 - 6000 feet AGL

88mm ANTI-AIRCRAFT GUN (ACK) 500 - 30,000 feet AGL

"Brooklyn" Class (Light)

FLEET CONSISTS OF: 1 CARRIER, 2 CRUISERS, 4 DESTROYERS


FLEET CAN BE IN ANY FORMATION MOVING AT ANY HEADING.

TYPICAL FORMATION SHOWN. WHITE CROSS DESIGNATES CARRIER

FLEET CAPTURE CONDITIONS:

DESTROY ALL SHIPS Carrier will return to port if not destroyed last.

PORT = LEFT STARBOARD = RIGHT BOW = FRONT STERN = REAR



WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

CHARTS AND RELATED DATA (NOT TO SCALE) PUBLISHED IN ACCORDANCE WITH SPECIFICATIONS AND AGREEMENTS APPROVED BY INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE AND ARE NOT TO BE USED FOR REAL-WORLD NAVIGATION.

MAXØVERLAYS MAPS BY BOB HEFFNER

Field F5 | F10 | F15 | F20 Elevation given in feet/meters Elev. 75/25 75/25 75/25 75/25

